

1987 ANNUAL INDEX

Automation. Automation with a human touch, *John Tuck, Editor-in-Chief*, Mar, p. 70.

Forceful plating, *D. Paul Davidson, Hewlett-Packard Co.*, Aug, p. 36.

Linking the test island to the manufacturing mainland, *Dan Mills, Hewlett-Packard Co.*, Jun, p. 58.

One for the heart, *Art Burkhalter, Hewlett-Packard Co.*, Nov, p. 59.

Two things that robots can't do, *Jerry Murray, West Coast Editor*, Jan, p. 40.

What a PAL, *John Tuck, Editor-in-Chief*, Jun, p. 54.

The winner!, *Jerry Murray, West Coast Editor*, Jun, p. 43.

Buyer's guide. 1987 Buyer's Guide, Oct, entire issue.

Cleaning. Eight different cycles for cleaning surface mount assemblies, *Donald R. Gerard, Detrex Chemical Industries*, Mar, p. 48.

New process forces a solution, *Rudolph Kreisel, Schering AG West Germany and Roger Dudik, Chemcut Corp.*, Jun, p. 18.

SMT flux cleaning, *David S. Lermond, Du Pont Co.*, Sep, p. 86.

Components. Choosing an effective adhesive, *Mark Buchbinder, Rockwell International*, Apr, p. 28.

Streamlining boards (imbedded components), *Jerry Murray, West Coast Editor*, Mar, p. 40.

3-D vision: no longer a gimmick, *Joseph P. Donahue and C. William Souder, Photonic Automation Inc.*, Jan, p. 60.

Computer integrated manufacturing (CIM)/computer automated manufacturing (CAM). CAM for under \$100,000, *Mark Shideler*, Nov, p. 40.

CIM: A Case Study, *Jordan D. Merhib, Universal Instruments Corp.*, Nov, p. 46.

The 809 system: CIM at Hughes, *Donald Ford, Senior Editor*, Apr, p. 47.

Piece by piece, *Jordan Merhib, Universal Instruments Corp.*, Apr, p. 41.

Small plant computerized production control, *Bill Harwood, Cosmotronic Company Corp.*, Aug, p. 33.

Drilling. Drilling: fact and fiction, *Don Wile, Advanced Controls Corp.*, Jun, p. 23.

Small hole drilling: the Japanese way, *Yasuhiko Kanaya and Kunio Arai, Hitachi Seiko Ltd.*, Dec, p. 33.

Tough drilling, *Jerry Murray, West Coast Editor*, Mar, p. 44.

Tiny tips: how small can they get?, *Jerry Murray, West Coast Editor*, Aug, p. 27.

Etching. Caution: high-speed zone ahead, *Guy Immega, MacDonald Dettwiler and Associates Ltd.*, Apr, p. 62.

One-way etch, *Jerry Murray, West Coast Editor*, Aug, p. 23.

Hybrids. Cutting the cost of close probing, *Steve Gross and Kevin Daverin, Hewlett-Packard Co.*, Dec, p. 48.

The 809 system: CIM at Hughes, *Donald Ford, Senior Editor*, Apr, p. 47.

Laser trim tied to CAD data, *Jerry Boogaard, Electro Scientific Industries*, Sep, p. 59.

Metallurgics: prior technology becomes state of the art, *Jo Ann Pacinelli, Engelhard Corp.*, Mar, p. 79.

3-D vision: no longer a gimmick, *Joseph P. Donahue and C. William Souder, Photonic Automation Inc.*, Jan, p. 60.

Imaging. Action in San Diego, *Jerry Murray, West Coast Editor*, Feb, p. 82.

CAM for under \$100,000, *Mark Shideler*, Nov, p. 40.

Caution: high-speed zone ahead, *Guy Immega, MacDonald Dettwiler and Associates Ltd.*, Apr, p. 62.

How tolerable are board tolerances?, *Greg J. Doyle and Bernard J. Sheehan, Control Data Corp.*, Dec, p. 42.

The fine-lining photoresist, *Bill Wachal, Dynachem Div. of Morton-Thiokol Inc.*, Feb, p. 73.

Fine line imaging, *Chuck Sahli, Optical Radiation Corp.*, Feb, p. 78.

Japan's SMOBC option, *Jerry Siegmund, Siegmund Inc.*, Sep, p. 24.

Liquids make a splash, *John Tuck, Editor-in-Chief*, Jan, p. 24.

Solder mask imaging problem exposed, *Robert H. Breedlove, Mimir Instruments Inc.*, May, p. 28.

Update on laser direct imaging, *Donald Ford, Senior Editor*, and *John Tuck, Editor-in-Chief*, Mar, p. 32.

International. How to compete with Asia, *Jerry Murray, West Coast Editor*, May, p. 16.

Japan's SMOBC Option, *Jerry Siegmund, Siegmund Inc.*, Sep, p. 24.

The Mexican connection, *Jerry Murray, West Coast Editor*, Feb, p. 66.

Manufacturing products and equipment. 1987 manufacturing products and equipment showcase, Jul, entire issue.

Materials. Action in San Diego (solder mask), *Jerry Murray, West Coast Editor*, Feb, p. 82.

Choosing an effective adhesive, *Mark Buchbinder, Rockwell International*, Apr, p. 28.

Coatings that conform to repair, *Marie N. Eckstein and Bernard Vanwert, Dow Corning Corp.*, Mar, p. 61.

The fine-lining photoresist, *Bill Wachal, Dynachem Div. of Morton-Thiokol Inc.*, Feb, p. 73.

Flux fingerprinted by ionic content, *Dr. J. K. (Kirk) Bonner, Buffalo Research Laboratory, Allied Corp.*, Jan, p. 57.

Liquids make a splash, *John Tuck, Editor-in-Chief*, Jan, p. 24.

Organic solder, *Harry A. King, Emerson & Cuming Inc.*, Nov, p. 33.

Refresher on FR-4 and polyimide, *Paul Craven, Advanced Dielectrics Inc.*, Apr, p. 58.

Stock bonding problem, *R.T. Grannells, H.C. Winiarski and F.P. Lamm, Hamilton Standard*, Sep, p. 28.

Today's substrates, *Jerry Murray, West Coast Editor*, Nov, p. 25.

Plating. Dump electroless, *Rudolph Zebelsky, PCK Technology Div., Kollmorgen Corp.*, Jan, p. 20.

Forceful plating, *D. Paul Davidson, Hewlett-Packard Co.*, Aug, p. 36.

A place for plasma plating, *Rex Lee, Plasma Systems Inc.*, Apr, p. 71.

Plating in a tight spot, *J.G. Donaldson, Mesa West Inc.*, Jun, p. 28.

Put it on the tab (tab plating), *Dale Jackson, Baker Brothers/Micro-Plate*, May, p. 34.

Process, production and quality control. Know thy board, *Ralph W. Woodgate, WoodCorp Inc.*, Feb, p. 62.

On and off the playing field, *Gerry Golembiewski, GTE Communications Systems Corp.*, Jan, p. 34.

One tool to control many variables, *Robert Coucher and Sheri Hill-Tanquist, Tektronix PCB Div.*, Jun, p. 34.

Small plant computerized production control, *Bill Harwood, Cosmotronic Company Corp.*, Aug, p. 33.

When controls are too good, *John P. Wiley, IBM*, Jun, p. 40.

The profession. The chemist in electronics, *Dr. Ken Gilleo, Sheldahl Inc.*, Mar, p. 27.

Fifth annual salary survey, *John Tuck, Publisher/Editor*, Aug, p. 16.

QA/test, inspection. The big buy: an AOI system, *Amos Michelson, Optrotech Inc.*, Apr, p. 55.

CAD/ATE link makes dollars and sense, *Russell Brudnicki, Trace Instruments*, Feb, p. 85.

Cutting the cost of close probing, *Steve Gross and Kevin Daverin, Hewlett-Packard Co.*, Dec, p. 48.

Design put to the test, *David Kunin and Nick Desai, Curtis Electronics, Intra-Con Div.*, Mar, p. 52.

Linking the test island to the manufacturing island, *Dan Mills, Hewlett-Packard Co.*, Jun, p. 58.

Looking into the SMD solder joint . . . deeply, *Jerry Murray, West Coast Editor*, Jan, p. 48.

The soul of an AOI machine, *Byron C.Y. Kim, DIT-MCO International Corp.*, Sep, p. 40.

3-D vision: no longer a gimmick, *Joseph P. Donahue and C. William Souder, Photonic Automation Inc.*, Jan, p. 60.

Soldering. Action in San Diego (solder mask), *Jerry Murray, West Coast Editor*, May, p. 16.

Considering IR reflow soldering, *Ahmet N. Arslan and David K. Flattery, Radiant Technology Corp.*, Nov, p. 51.

DOD-STD-2000: the all-in-one soldering standard, part 1, *Roland Roy, Royel Manufacturing, Ed Grinovich and Shari Worthington, Cyborg Corp.*, Aug, p. 46.

DOD-STD-2000: the road to compliance, part 2, *Roland Roy, Royel Manufacturing, Ed Grinovich and Shari Worthington, Cyborg Corp.*, Sep, p. 50.

Drowning in data?, *Sabi Avramescu, Electrovert*, Feb, p. 56.

Finish first, *Reed Bowlby, Motorola Inc.*, Nov, p. 76.

1987 ANNUAL INDEX

Flux fingerprinted by ionic content, *Dr. J.K. (Kirk) Bonner, Buffalo Research Laboratory, Allied Corp.*, Jan, p. 57.
 New phase in vapor phase, *John Pignato, 3M*, Sep, p. 71.
 New-wave fluxes, *Alvin F. Schneider, Alpha Metals Inc.*, Jun, p. 63.
 Organic solder, *Harry A. King, Emerson & Cuming Inc.*, Nov, p. 33.
 Painful processing, *Jerry Murray, West Coast Editor*, Dec, p. 26.
 Paste printing from a pro, *John D. Borneman and Royce L. Rennaker, Delco Electronics Corp.*, Feb, p. 38.
 Striking out to eliminate solder balls, *Mira Khutoretsky, Control Data Corp.*, May, p. 62.
 300 machines later (IR reflow), *John Tuck, Editor-in-Chief*, Apr, p. 23.
 TI solves wicking problem, *R. Neil McLellan and Walter H. Schroen, Texas Instruments*, Sep, p. 78.
 What makes a good SMT solder joint?, *Alice C. Abrams, Managing Editor/Production*, Aug, p. 58.
 What you don't know about solder creams, *Colin MacKay, Microelectronics and Computer Technology Corp.*, May, p. 43.

Tax reform. Lease versus buy decision, *Dan Driscoll, Lincoln Laser Co.*, Sep, p. 37.

Wastewater treatment. Pure water through membranes, *Steve Irvin, Casscorp*, Feb, p. 90.

Water: the key resource for the PCB shop, *Cheryl Emrich, Memtek*, Aug, p. 43.

Surface mount technology (SMT).

Cleaning. Eight different cycles for cleaning surface mount assemblies, *Donald R. Gerard, Detrex Chemical Industries*, Mar, p. 48.
 SMT flux cleaning, *David S. Lermond, Du Pont Co.*, Sep, p. 86.

Contract assembly. Selecting the right SMT assembly house, *David H. Francis, Dataquest*, Feb, p. 31.

Flexible circuits. Flex takes on boarders, *Deanna M. Dowdle, Sheldahl Inc.*, Dec, p. 79.

JIT. SMT and JIT: the dynamic duo, *Henry Metcalf and Joe Jacques, The Foxboro Co.*, Dec, p. 67.

Materials. The complex concoction, *Dr. Jennie S. Hwang, SCM Metal Products*, Dec, p. 73.
 New-wave fluxes, *Alvin F. Schneider, Alpha Metals Inc.*, Jun, p. 63.
 Paste printing from a pro, *John D.*

Borneman and Royce L. Rennaker, Delco Electronics Corp., Feb, p. 38.
 Pin transformations (adhesives), *Robert M. Barto, Jr., RMB Designers Inc. and Marc Peo, Heller Industries*, Jun, p. 68.
 What you don't know about solder creams, *Colin MacKay, Microelectronics and Computer Technology Corp.*, May, p. 43.

Pick-and-place. Low volume placers stir high-volume interest, *John Tuck, Editor-in-Chief*, May, p. 54.
 Machine that's on the beam, *Terry Asai, Permax Takachiho Corp.*, Sep, p. 93.
 Relieving the pain of programming, *Katheryne A. Fahland, James P. Sauer, Patrick G. Hesselmann and Dr. Stanley S. Checinski, Sperry Corp.*, Apr, p. 35.

Plating. Circuit fabrication techniques for SMT boards, *Kathy Nargi, Enthone Inc.*, Dec, p. 59.

QA/test, inspection. Design put to the test, *David Kunin and Nick Desai, Curtis Electronics, Intra-Con Div.*, Mar, p. 52.
 Looking into the SMD solder joint... deeply, *Jerry Murray, West Coast Editor*, Jan, p. 48.


Repair, rework. More than just hot air, *Steve Stach and Jonas Aleksonis, Austin American Technology*, Feb, p. 45.
 SMT rework brings managers on board, *Donald J. Spigarelli, SRTTechnologies Inc.*, Feb, p. 53.
 Tough repair, *Ori Perkins, consultant*, Aug, p. 51.

Robotic assembly. One for the heart, *Art Burkhalter, Hewlett-Packard Co.*, Nov, p. 59.

Reliability. The case of the cracked caps, *Michael Martel, Consultant to Electronic Designs Inc.*, Aug, p. 53.
 SMT reliability: interviews with the experts, *Jane G. Hallisey, CM staff*, Nov, p. 64.

Soldering. Considering IR reflow soldering, *Ahmet N. Arslanacan and David K. Flattery, Radiant Technology Corp.*, Nov, p. 51.
 Finish first, *Reed Bowlby, Motorola Inc.*, Nov, p. 76.
 New phase in vapor phase, *John Pignato, 3M*, Sep, p. 71.
 New-wave fluxes, *Alvin F. Schneider, Alpha Metals Inc.*, Jun, p. 63.
 Paste printing from a pro, *John D. Borneman and Royce L. Rennaker, Delco Electronics Corp.*, Feb, p. 38.
 300 machines later (IR reflow), *John Tuck, Editor-in-Chief*, Apr, p. 23.
 TI solves wicking problem, *R. Neil McLellan and Walter H. Schroen, Texas Instruments*, Sep, p. 78.
 What makes a good SMT solder joint?, *Alice C. Abrams, Managing Editor/Production*, Aug, p. 58.
 What you don't know about solder creams, *Colin MacKay, Microelectronics and Computer Technology Corp.*, May, p. 43.

MORE USABLE COMPONENTS PER LOAD



PATENTED CLEAN ROOM OVENS

99.97% EFFECTIVE IN FILTERING PARTICLES
DOWN TO 0.3 MICRONS.

State-of-the-art anti-contamination engineering provides a work chamber as free from impurities as is possible. New PRO-SET Digital Indicating Control offers time proportioning zero crossover performance...extremely close control...visual indication of set-point and operating temperature. Complementary overtemperature protection instrumentation.

Other features include: electropolished stainless interiors; enclosed motors; stainless blower wheels and sealed shafts; nitrogen system; stainless tap water cooling coil for operation below +100°C. and rapid cool-down.

The chambers, rated at +250°C. (+482°F.), come in five popular bench and floor sizes.

If contamination is hurting your production, look into Blue M Clean Room Ovens. You'll find nothing — except increased yield. For details, contact: Blue M, A Unit of General Signal; Blue Island, Illinois 60406. (312) 385-9000.

• MEET MIL. STD.
CLASS 100 AIR
REQUIREMENTS

• NEW DIGITAL
INDICATING CONTROL

• CHAMBER SIZES
FROM 1.2 TO 21.5
CUBIC FEET



BLUE M

A UNIT OF GENERAL SIGNAL

Circle 63

